

PAGE DISPLAY METHOD FOR SELECTING AND DISPLAYING PAGE
DEPENDING ON CUSTOMER LEVEL OF USER

BACKGROUND OF THE INVENTION

5 1.Field of the Invention:

The present invention relates to a page display
method and system for displaying a page on a user
terminal by a server operated by a seller, company or the
like when the user terminal establishes connection to the
10 server through the Internet.

2.Description of the Related Art:

In recent years, online shopping for selling and
purchasing commodities through the Internet is being put
to use. In addition, various companies generally provide
15 information on them, information on products sold by them
or the like through the Internet.

A user who attempts to obtain such information or to
utilize online shopping operates a user terminal to
establish a connection through the Internet to a server
20 operated by a seller or company. When engaging in online
shopping, the user views a home page of the seller,
selects a commodity which the user wishes to purchase
from commodities sold on the home page, and orders the
commodity, thereby making it possible to purchase the
25 commodity. On the other hand, a user who attempts to
obtain information on a company or the like can obtain

0903895.071201

desired information by viewing a home page of the company.

5 A seller or company running such a home page configures a displayed page of the home page to allow a user who has made access thereto to obtain as much useful information as possible. A home page, however, has limited space, and thus there is a limitation on the amount of information which can be directly displayed on the home page. For this reason, a mark for link to
10 another web page is provided on a home page, and a user can search various web pages by selecting the mark to obtain desired information.

Users who have made access to such a home page of a seller or company may vary in desired information,
15 objects of the access or the like. For example, users who have made access to a home page of a seller running online shopping include users at various levels such as those who attempt to shop online for the first time, or those who have shopped online many times and are familiar
20 with its mechanism.

In a conventional page display method, however, only one home page is provided for users who have made access thereto, and thus only uniform information can be transmitted to the users who have made access. As a
25 result, some users may experience the inconvenience of having to view unnecessary information each time they

According to another aspect of the present invention, the page is of a hierarchical structure in which the page is divided into a plurality of areas each
5 divided into one or more smaller areas. In this case, the position, contents, and size are changeable for each area, and the number of smaller areas formed in an area is changeable.

The areas in the respective levels of the hierarchy
10 may be associated with one another. Ranges of positions, contents, and sizes of each area, and the numbers of smaller areas formed in an area may be previously determined by a lower level of the hierarchy such that changes are possible within the ranges.

15 In addition, some of the plurality of areas may be formed to allow no change by operations through the user terminal.

The above and other objects, features and advantages of the present invention will become apparent from the
20 following description with reference to the accompanying drawings which illustrate examples of the present invention.

BRIEF DESCRIPTION OF THE DRAWINGS

Fig. 1 is a block diagram showing a configuration of a page display system for a page display method according to a first embodiment of the present invention;

Fig. 2 shows an example of customer information
5 stored in customer information database 40;

Fig. 3a shows an example of a displayed page selected by seller server 10 when a customer level is "visitor";

Fig. 3b shows an example of a displayed page
10 selected by seller server 10 when a customer level is "registrant";

Fig. 4a shows an example of a displayed page selected by seller server 10 when a customer level is "normal customer";

Fig. 4b shows an example of a displayed page
15 selected by seller server 10 when a customer level is "preferred customer";

Fig. 5 is a schematic diagram for explaining a relationship among zones, containers, and items;

Fig. 6 shows an example of a page before
20 customization according to a page display method according to a second embodiment of the present invention; and

Fig. 7 shows an example of the page after
25 customization according to the page display method of the second embodiment of the present invention.

DETAILED DESCRIPTION OF THE PREFERRED EMBODIMENTS

First Embodiment

Referring now to Fig. 1, there is shown a page
5 display system for performing a page display method
according to a first embodiment of the present
invention, comprising seller server 10, network 20 such
as the Internet, user terminal 30, customer information
database 40, recording medium 50, and display information
10 database 60. For simplicity, only one user terminal is
shown in the embodiment. In an actual page display
system, however, a plurality of user terminals may be
connected to seller server 10 through network 20.

In addition, the embodiment is illustrated in a case
15 where a seller running online shopping displays pages on
a home page for selling commodities through the network.

Recording medium 50 has a program stored thereon for
performing the page display method of the embodiment.
The program is read from recording medium 50 by seller
20 server 10 for controlling the operation of seller server
10. Seller server 10 executes the following procedures
under the control of the program. Recording medium 50
may be in the forms of a magnetic disc, a semiconductor
memory, and so on.

25 User terminal 30 is operated by a user who desire to
purchase a commodity, and has the function of

09903885.071201

establishing a connection to network 20. Seller server 10 is a server for providing online shopping. User terminal 30 can establish a connection to seller server 10 through network 20 to acquire information on a commodity, examine it, and order the commodity on a home page of seller server 10.

When a user accesses seller server 10, seller server 10 reads a customer level currently stored for the user from customer information database 40, selects display information depending on the customer level of the user from display information stored in display information database 60, and displays the information on user terminal 30.

Seller server 10 stores, in customer information database 40, "visitor" as the customer level of a user who has not made user registration, "registrant" as the customer level of a user who has made user registration but has not yet purchased a commodity, "normal customer" as the customer level of a user who has made user registration and has already purchased a commodity through online shopping, and "preferred customer" as the customer level of a user who has made user registration and has purchase experience through online shopping which satisfies a certain condition.

That is, as a user accesses the home page of the seller, makes user registration, and purchases a

commodity through online shopping, the customer level of the user is raised in the order of "visitor," "registrant," "normal customer," and finally "preferred customer."

5 An example of a condition in purchase experience for raising the customer level from "normal customer" to "preferred customer" is that a user has purchased commodities through online shopping whose total price reaches a certain amount or more, or a user has utilized
10 online shopping a certain number of times or more.

Customer information database 40 is connected to seller server 10 and has customer information stored therein such as the customer level, name, address, purchased commodity histories, and ID number for each
15 user.

Fig. 2 shows an example of the customer information stored in customer information database 40. In Fig. 2, for users at the customer level of "visitor," only their ID numbers are stored since they have not made user
20 registration yet. For a user at the customer level of "registrant," his or her name and address are stored in addition to his or her ID number since he or she has already made user registration. For users at the customer levels of "normal customer" and "preferred
25 customer," information on the previously purchased

commodities is stored in addition to the aforementioned information.

44903895.071201
The ID number refers to a number for identifying a user who has made access to the home page. Seller server 5 10 can identify a user who has made access by using data called a cookie file or the like. That is, the ID number refers to a number produced on the basis of the cookie file.

In general, the cookie file is data which allows a 10 user to be identified and is stored on a hard disk or the like on a user terminal when a user accesses a home page or the like in a site. When the user accesses the home page in the site the next time, the site can identify the user who has made access using the cookie file.

15 Display information database 60 is connected to seller server 60 and has a plurality of pieces of display information previously stored therein corresponding to customer levels.

Although not shown, backup means may be provided for 20 holding the functions of seller server 10 and the information accumulated in seller server 10, and the information stored in customer information database 40, display information database 60, and recording medium 50.

Next, the page display method of the embodiment will 25 be described with reference to Figs. 3 and 4.

Fig. 3a shows a page selected and displayed by seller server 10 when the customer level is "visitor."

Fig. 3b shows a page selected and displayed by seller server 10 when the customer level is "registrant." Fig.

5 4a shows a page selected and displayed by seller server 10 when the customer level is "normal customer." Fig. 4b shows a page selected and displayed by seller server 10 when the customer level is "preferred customer."

When a user at the customer level of "visitor" makes
10 access, seller server 10 selects and displays a page as shown in Fig. 3a from the pages stored in display information database 60. Since the user for whom the page is displayed has not made user registration yet, the page has information for guidance on user registration in
15 addition to information on new products. Seller server 10 performs similar page display when a user with no information in customer information database 40 makes access, and newly registers the user as a user at the customer level of "visitor" in customer information
20 database 40.

When a user at the level of "registrant" makes access, seller server 10 selects and displays a page as shown in Fig. 3b from the pages stored in display information database 60. Since the user for whom the
25 page is displayed has already made user registration, the user is provided with not only normal information such as

on new products but also information targeted at that user and information on online shopping.

When a user at the customer level of "normal customer" makes access, seller server 10 selects and displays a page as shown in Fig. 4a from the pages stored in display information database 60. Since the user for whom the page is displayed has already made user registration and has purchased a commodity through online shopping, the user is provided with not only information targeted at that user but also information according to the past purchase histories.

The provision of the information according to the past purchase histories refers to, for example, the provision of information on personal computer peripheral devices such as printers, or information on Internet providers to a user who has purchased a personal computer.

When a user at the customer level of "preferred customer" makes access, seller server 10 selects and displays a page as shown in Fig. 4b from the pages stored in display information database 60. Since the user for whom the page is displayed has already made user registration and has purchase experience of commodities through online shopping which satisfies a certain condition, the user is provided with not only information targeted at that user and information according to the

past purchase histories but also special information on preferred sales of new products, information for requesting the user to introduce prospective users.

09903895.071201

With the page display method of the embodiment, the
5 pages to be displayed are previously prepared for the
respective customer levels in display information
database 60 and seller server 10 selects and displays one
of the pages on the user terminal according to the
customer level of a user who has made access to seller
10 server 10, thereby making it possible to appropriately
provide information which satisfies the demands of the
user who has made access to seller server 10.

While the embodiment has been described in a case
where pages are displayed on the home page for selling
15 commodities by the seller through the network, the
present invention is not limited thereto. The present
invention is also applicable to a case where a company
displays pages on user terminal 30 through a network to
display pages on a home page for providing information on
20 the company, for example.

While the embodiment has been described by using the
four customer levels of "visitor," "registrant," "normal
customer," and "preferred customer," the number of the
customer levels, the condition for determining the
25 customer level of a user and the like may be set in any
way. For example, a customer level may be changed

according to the number of accesses to a server, or a customer level may be changed according to the frequency of accesses (the number of accesses in a certain time period).

5 In addition, while the embodiment has been described for the pages displayed first on user terminal 30 when a user accesses seller server 10, the present invention is not limited thereto and is also applicable to a system for displaying a page on user terminal 30 at all points
10 in time. For example, it is possible to display the same page first on user terminal 10 when any user accesses seller server 10 and to display next a page depending on the customer level of the user.

15 Second Embodiment

 Next, a page display method of a second embodiment of the present invention will be described. The aforementioned first embodiment is the method for selecting and displaying a page depending on the customer
20 level of a user, and when the method according to the first embodiment is used, pages displayed on user terminal 30 are formed by a manufacturer or the like. However, it is a user that knows most accurately which information is desired by or appealing to the user, and
25 the contents of a home page provided by a manufacturer

does not necessarily match the information desired by a user.

The second embodiment improves such a problem and allows a user to change a page configuration such that a
5 home page provides information most suitable for the user.

Prior to description of the page display method of the embodiment, the configuration of a home page is first described. The home page generally comprises three
10 elements of zones, containers, and items as shown in Fig. 5.

A zone has a large area and refers to one of a plurality of areas into which the home page is divided. A container has a smaller area and refers to one of a
15 plurality of smaller areas into which a zone is divided. Items are articles constituting contents of each container and comprise a specific heading, index information, link, text and the like.

For example, in Fig. 5, zone 70 comprises three
20 containers 80₁ to 80₃, and container 80₁ comprises two items 90₁, 90₂.

A system for performing the page display method of the present embodiment is similar in configuration to that shown in Fig. 1. In the present embodiment,
25 however, display information database 60 has a page to be displayed stored therein for each user, and when a user

0903895.071204

makes access to seller server 10, seller server 10 reads a page corresponding to the user from display information database 60 and displays it on user terminal 30. The configurations of pages stored in display information database 60 are changeable by operations from the user terminal.

According to the embodiment, when a user who has made access has not been registered yet in customer information database 40, seller server 10 displays a previously prepared initial page on user terminal 30.

A user can change the position, size, contents or the like of each zone, container, item or the like on a home page displayed in response to access to seller server 10 by operating user terminal 30. The changed display information is stored in display information database 60 in correspondence with the user.

When the user makes access again, seller server 10 reads the page corresponding to the user from display information database 60 and displays it on user terminal 30.

Thus, when the user who once changed the configuration of the displayed page accesses seller server 10, the page changed by himself is displayed, and he can shop online or obtain various information by using the homepage which provides information he or she desires or information appealing to him or her.

00003835.071201

In this manner, in the page display method of the embodiment, a page is of a hierarchical structure in which the page is divided into a plurality of areas of zones, and a zone is divided into a plurality of smaller areas of containers or items. It is possible to change the position, contents, and size for each zone, container and item, the number of containers formed in the area of a zone, and the number of items formed in the area of a container.

10 In addition, in the page display method of the embodiment, a container belonging to a zone is associated with the zone, and an item belonging to a container is associated with the container. Ranges of positions, contents, and sizes of each area, and the numbers of smaller areas formed in an area are previously determined by a lower level of the hierarchy, and settings are made to allow changes within the ranges. Specifically, ranges of positions, contents, and sizes of a zone, and the numbers of containers formed in the zone are previously determined by the container which corresponds to a lower level of the hierarchy, and settings are made to allow changes within the ranges. In addition, ranges of positions, contents, and sizes of a container, and the numbers of items formed in the container are previously determined by the item which corresponds to a lower level

of the hierarchy, and settings are made to allow changes within the ranges.

00003695 071201

An example of a page on which a user has changed (customized) its configuration according to the page display method of the embodiment is described with reference to Figs. 6 and 7. Fig. 6 shows an example of a page before customization according to the page display method of the embodiment, while Fig. 7 shows an example of the page after customization according to the page display method of the embodiment.

The following description is made in a case where the respective areas are arranged in a three-level hierarchy, and for the three levels, zones 1 to 3, containers 1 to 8, and items 1 to 16 can be set.

15 In Fig. 6 showing a page before customization, the page is divided into three areas of zones 1 to 3. For example, zone 1 has the meaning of an advertisement zone and is defined to have three containers placed therein. Zone 2 has the meaning of a commodity presentation zone and is defined to have containers of the number in a range of 1 to 3. Zone 3 has the meaning of a contact zone from a site and is defined to include two or more containers.

Containers 1 to 3 have the meaning of a banner advertisement and are set to allow no change in positions

or size. Containers 1 to 3 are defined such that only one item can be provided in one container.

Containers 4 to 6 have the meanings for recommended notebook personal computers, desktop personal computers, and peripheral devices, and are set such that each of them must display one or more items. Containers 4 to 6 are defined to allow display of a plurality of image items and text items.

Containers 7, 8 have the meanings for information and for use conditions. The container for use conditions is set to allow no change in size or erasure, and is defined to allow display of a plurality of text items.

Items 1 to 3 have the meaning of a banner advertisement. Item 4 has the meaning of a photograph of a notebook personal computer, item 5 has the meaning of a photograph of desktop personal computer 1, item 6 has the meaning of a photograph of a TA (Terminal Adapter), item 7 has the meaning of basic information of the notebook personal computer, item 8 has the meaning of basic information of desktop personal computer 1, and item 9 has the meaning of basic information of the TA.

Item 10 includes an ID registration request document. Item 11 includes an announcement of new products. Item 12 has the meaning of use regulations.

Fig. 7 shows the displayed page to which a user has made changes (customization).

0903005-07304

In Fig. 7, item 13 has the meaning of a photograph of desktop personal computer 2, item 14 has the meaning of a photograph of desktop personal computer 3, item 15 has the meaning of basic information of desktop personal computer 2, and item 16 has the meaning of basic information of desktop personal computer 3.

In this manner, a user makes changes to the page shown in Fig. 6 such that information desired by the user and information appealing to the user are displayed, thereby obtaining the page shown in Fig. 7. When the user accesses seller server 10, the page shown in Fig. 7 is displayed on user terminal 30.

While the embodiment has been described in a case where each zone, container, item and the like can be changed in position, size, contents or the like, some of them may be formed to allow no change by a user. For example, disadvantages arise when a user can delete an advertisement zone for which advertisement rates are collected or a zone for a display which is made obligatory by law. It is thus preferable not to allow changes by a user in such a zone. For the same reason, some of the containers and items may be set not to allow a user to change them.

The zones may be formed to allow no change by a user, and the containers and items in the zones may be formed to allow changes by a user.

09003035-0712241

In addition, while the page display method of the embodiment has been described in a case where the page configuration is arranged in the three-level hierarchy including the zones, containers, and items, the number of
5 levels in the hierarchy of the layered page configuration is not limited to three in the present invention. The present invention is applicable similarly to any case where the configuration of a page is of a hierarchical structure of a plurality of levels such as two, four,
10 five or the like.

While the page display method of the embodiment has been described in a case where the present invention is applied to page display on a public home page on the Internet, the present invention is not limited to such a
15 case and is applicable similarly to a page displayed on an OS (Operating System) or a page displayed when application software is started.

While preferred embodiments of the present invention have been described using specific terms, such
20 description is for illustrative purposes only, and it is to be understood that changes and variations may be made without departing from the spirit or scope of the following claims.